

Meço, M., Mullaj, A. & Barina, Z.: The vascular flora of the Valamara mountain range (SE Albania), with three new records for the Albanian flora. — Fl. Medit. 28: 5-20. 2018. — ISSN: 1120-4052 printed, 2240-4538 online.

Electronic Supplementary File 1.

doi: 10.7320/FlMedit28.005.1

Version of Record published online on 31 January 2018

List of vascular plants in Valamara Mts.

Taxon	Life form	Flowering period	Chorology
<b>1. Acanthaceae</b>			
<i>Acanthus spinosus</i> L.	H	VI-VIII	StenoMedit.
<b>2. Adiantaceae</b>			
<i>Adiantum capillus-veneris</i> L.	G	VI-VIII	Pantrop.
<b>3. Amaranthaceae</b>			
<i>Chenopodium bonus-henricus</i> L.	H	V-VIII	Circum.-Boreal
<b>4. Amaryllidaceae</b>			
<i>Allium carinatum</i> L.	G	VI-IX	SubMedit.
<i>Allium cupani</i> Raf.	G	VI-IX	NE Medit.
<i>Allium flavum</i> L.	G	VI-VIII	Europ. - Medit.
<i>Allium roseum</i> L.	G	IV-V	StenoMedit.
<i>Allium schoenoprasum</i> L.	G	VI-VIII	Circum.-Boreal
<b>5. Apiaceae</b>			
<i>Athamanta turbith</i> (L.) Brot.	H	VI-VII	Balk.
<i>Berula erecta</i> (Hudson) Coville	G	IV-VI	Circum.-Boreal
<i>Bupleurum falcatum</i> subsp. <i>cernuum</i> (Ten.) Arcang.	H	VI-VIII	Europ. - Caucas.
<i>Cachrys ferulacea</i> (L.) Calestani	H	VI-VIII	NE Medit.
<i>Carum rigidulum</i> (Viv.) DC.	H	VI-VIII	Sub-Balk.
<i>Chaerophyllum aromaticum</i> L.	H	VI-VIII	S Europ.
<i>Dichoropetalum stridii</i> (Hartvig) Pimenov & Kljuykov	H	VII-VIII	Subendem.
<i>Grafia golaka</i> (Hacq.) Rech.	H	VII-VIII	Anfiadriatike
<i>Laserpitium siler</i> L.	H	V-VIII	Orof. - S Europ.
<i>Orlaya grandiflora</i> (L.) Hoffm.	T	V-VIII	C Europ.
<i>Sanicula europaea</i> L.	H	VI-VIII	Pantemp.
<i>Seseli libanotis</i> (L.) Koch	H	VI-VIII	C Europ.
<i>Seseli montanum</i> L.	H	VIII-IX	Europ. - Medit.Occid.
<i>Torilis arvensis</i> (Hudson) Link	T	IV-VIII	Europ. - Medit.
<i>Trinia glauca</i> (L.) Dumort.	H	V-VII	S Europ.
<b>6. Apocynaceae</b>			
<i>Vincetoxicum hirundinaria</i> Medik.	H	V-VII	Europ. - Caucas.
<b>7. Aristolochiaceae</b>			
<i>Asarum europaeum</i> L.	H	III-VI	Europ. - Siber
<b>8. Asparagaceae</b>			
<i>Ornithogalum collinum</i> Guss.	G	IV-V	Medit.
<i>Polygonatum multiflorum</i> (L.) All.	G	V-VII	Europ. - Caucas.
<i>Scilla autumnalis</i> L.	G	VIII-X	Europ. - Medit.
<i>Scilla bifolia</i> L.	G	IV-VII	Europ. - Caucas.
<b>9. Aspleniaceae</b>			
<i>Asplenium adiantum-nigrum</i> L.	H	V-VII	Pantemp.
<i>Asplenium cuneifolium</i> Viv.	H	V-VII	Europ. - Medit.
<i>Asplenium ruta-muraria</i> L.	H	VII-IX	Circum.-Boreal
<i>Asplenium septentrionale</i> (L.) Hoff.	H	VII-VIII	Circum.-Boreal
<i>Asplenium trichomanes</i> L.	H	V-VII	Cosmop.
<i>Ceterach officinarum</i> DC.	H	V-VII	Europ. - Asia

<b>10. Asteraceae</b>			
<i>Achillea abrotanoides</i> (Vis.) Vis.	H	VI-VII	Balk.
<i>Achillea chrysocoma</i> Friv.	H	VI-VII	Balk.
<i>Achillea distans</i> Waldst. & Kit.	H	VII-IX	S Europ.
<i>Achillea millefolium</i> L.	H	V-VII	Europ.-Siber
<i>Antennaria dioica</i> (L.) Gaertner	Ch	V-VII	Circum.-Boreal
<i>Artemisia alba</i> Turra	Ch	VII-IX	S Europ.
<i>Artemisia scoparia</i> Waldst. & Kit.	H	V-VIII	EEurop.
<i>Artemisia vulgaris</i> L.	H	VII-X	Circum.-Boreal
<i>Aster albanicus</i> Degen	H	VIII-XI	Subendem.
<i>Bellis annua</i> L.	T	I-VI	StMedit.
<i>Carduus acanthoides</i> L.	H	VI-VIII	Europ. - Caucas.
<i>Carlina acanthifolia</i> subsp. <i>utzka</i> (Hacq.) Meusel & Kästner.	H	VI-IX	S Europ.
<i>Carlina lanata</i> L.	T	VI-VIII	StenoMedit.it.
<i>Centaurea alba</i> L.	H	VI-VIII	S Europ.
<i>Centaurea pindicola</i> Griseb.	H	VI-VIII	Balk.
<i>Centaurea salonitana</i> Vis.	H	VI-VIII	S Europ.
<i>Centaurea uniflora</i> Turra	H	VII-VIII	S Europ.
<i>Chamomilla recutita</i> (L.) Rauschert	T	V-VIII	EAsia
<i>Chondrilla juncea</i> L.	H	VI-VIII	subPont.
<i>Cirsium appendiculatum</i> Griseb.	H	VII-VIII	Balk.
<i>Cirsium arvense</i> (L.) Scop.	G	V-IX	Europ.-Caucas.
<i>Cirsium eriophorum</i> (L.) Scop.	H	VI-IX	C Europ.
<i>Cirsium rivulare</i> (Jacq.) All.	H	VI-VIII	C Europ.
<i>Cirsium vulgare</i> (Savi) Ten.	H	VII-X	Pantemp.
<i>Crepis aurea</i> (L.) Cass.	H	VI-VIII	Orof. - S Europ.
<i>Crepis biennis</i> L.	H	VI-VIII	Europ.
<i>Crepis geracioides</i> Hausskn.	H	VI-VII	Balk.
<i>Crupina vulgaris</i> Cass.	T	V-VI	Europ. - Medit.
<i>Doronicum austriacum</i> Jacq.	G	VI-IX	Orof. - S Europ.
<i>Doronicum columnae</i> Ten.	G	V-VIII	S Europ. - CaucAsia.
<i>Filaginella uliginosa</i> (L.) Opiz	T	VI-X	Europ. - Siber
<i>Hieracium bifidum</i> Kit (group)	H	VI-VIII	S Europ.
<i>Hieracium cymosum</i> L.	H	V-VIII	Europ.
<i>Hieracium hoppeanum</i> Schultes	H	VI-VIII	Orof. - NE Medit.
<i>Hieracium pannosum</i> Boiss. (group)	H	VI-VIII	Balk.
<i>Hieracium pilosella</i> L.	H	VI-X	Europ. - Caucas.
<i>Hieracium sparsum</i> Friv.	H	V-VII	Sub-Balk.
<i>Inula oculus-christi</i> L.	H	VI-VIII	S Europ. - Pont.
<i>Jurinea glycacantha</i> (Sibth. & Sm.) DC.	H	V-VII	Sub-Balk.
<i>Leontodon crispus</i> Vill.	H	IV-VII	S Europ.
<i>Leontodon hispidus</i> L.	H	V-X	Europ. - Caucas.
<i>Leontodon tuberosus</i> L.	H	IX-VI	Stenomedit
<i>Matricaria caucasica</i> (Willd) Poir.	H	VII-VIII	Sub-Balk.
<i>Mycelis muralis</i> (L.) Dumort.	H	VII-VIII	Europ. - Caucas.
<i>Omalothea sylvatica</i> (L.) Schltz Bip. & F. W. Schultz	H	VI-VIII	Circum.-Boreal
<i>Prenanthes purpurea</i> L.	H	VI-VIII	Europ. - Caucas.
<i>Scorzonera purpurea</i> L.	H	VI-VIII	S Europ.
<i>Senecio squalidus</i> L.	T/H	VI-VIII	C Europ.
<i>Senecio viscosus</i> L.	T	VI-IX	Europ.
<i>Solidago virgaurea</i> L.	H	VI-X	Circum.-Boreal
<i>Tanacetum larvatum</i> Kanitz.	H	VI-VII	Balk.
<i>Tanacetum parthenium</i> (L.) Schultz Bip.	H	VI-VII	Balk.
<i>Tanacetum vulgare</i> L.	H	VII-IX	Europ. - Caucas.

<i>Taraxacum haussknechtii</i> Hausskn.	H	IX-XII	Pantemp.
<i>Taraxacum pindicum</i> Kirschner & Štěpánek	H	V-VII	Subendem.
<i>Telekia speciosa</i> (Schreber) Baumg.	H	VI-VIII	Orof. - S Europ.
<i>Tussilago farfara</i> L.	G	I-III	Pantemp.
<i>Xanthium spinosum</i> L.	T	VII-X	S Am
<b>11. Athyriaceae</b>			
<i>Athyrium filix-femina</i> (L.) Roth	H	VI-VIII	Subcosmop.
<i>Cystopteris fragilis</i> (L.) Bernh.	H	V-VII	Cosmop.
<b>12. Betulaceae</b>			
<i>Alnus glutinosa</i> (L.) Gaertn.	Ph	II-III	Pantemp.
<i>Betula pendula</i> Roth.	Ph	III-IV	Europ. - Siber
<b>13. Boraginaceae</b>			
<i>Alkanna scardica</i> Griseb.	H	VI-VII	Balk.
<i>Buglossoides arvensis</i> (L.) I.M. Johnston	T	II-VI	Europ. - Medit.
<i>Buglossoides purpureoacerulea</i> (L.) I.M. Johnston	H	IV-VI	S Europ.
<i>Halacsya sendtneri</i> (Boiss.) Doerfler	H	VI-VII	Balk.
<i>Lithospermum officinale</i> L.	H	V-VII	Europ. - Siber
<i>Myosotis suaveolens</i> Waldst. & Kit.	H	V-VIII	Balk.
<i>Onosma echioides</i> L.	G	V-VII	SE Europ.
<i>Onosma mattirolii</i> Bald.	H	VI-VII	Subendem.
<i>Onosma stellulata</i> Waldst. & Kit.	H/Ch	VI-VII	Medit.
<i>Symphytum tuberosum</i> L.	G	III-IV	S Europ.
<b>14. Anacardiaceae</b>			
<i>Cotinus coggygria</i> Scop.	G	VI-IX	S Europ.
<i>Rhus coriaria</i> L.	Ph	IV-VIII	SMedit.
<b>15. Brassicaceae</b>			
<i>Alyssoides sinuata</i> (L.) Medik.	H	V-VII	Sub-Balk.
<i>Alyssoides utriculata</i> (L.) Medik.	Ch	IV-VI	Medit.
<i>Alyssum bertolonii</i> Desv.	Ch	V-VII	Balk.
<i>Alyssum murale</i> Waldst. & Kit.	Ch	V-VII	Sub-Balk.
<i>Alyssum repens</i> Baumg.	H	VI-VII	Europ.
<i>Arabis hirsuta</i> (L.) Scop.	H	IV-VII	Europ.
<i>Aubrieta gracilis</i> Spruner	Ch	V-VI	Balk.
<i>Biscutella laevigata</i> L.	H	IV-VI	S Europ.
<i>Bornmuellera baldaccii</i> (Degen) Heywood	Ch	VI-VIII	Subendem.
<i>Cardamine bulbifera</i> (L.) Crantz	G	IV-VI	Europ.
<i>Cardamine enneaphyllos</i> (L.) Crantz	G	IV-VII	S Europ.
<i>Cardamine glauca</i> Sprengel	T/H	V-VII	Medit.
<i>Cardamine graeca</i> L.	T	III-V	Medit.
<i>Cardamine plumieri</i> Vill.	H	V-VII	Medit.- Mont.
<i>Cardamine raphanifolia</i> Pourr.	H	V-VII	S Europ.
<i>Erophila verna</i> (L.) Chevall.	T	I-V	Circum.-Boreal
<i>Eryngium campestre</i> L.	H	VII-IX	Europ. - Medit.
<i>Eryngium creticum</i> Lam.	H	VI-VIII	EMedit.
<i>Eryngium palmatum</i> Pancic & Vis.	H	VI-VII	Balk.
<i>Erysimum odoratum</i> Ehrh.	T	VI-VIII	C Europ.
<i>Iberis sempervirens</i> L.	Ch	VI-VIII	Medit.
<i>Isatis tinctoria</i> L.	T	IV-VII	Europ.
<i>Lepidium latifolium</i> L.	H	VI-VII	Europ. - Caucas.
<i>Nasturtium officinale</i> R. Br.	G	IV-VI	Cosmop.
<b>16. Buxaceae</b>			
<i>Buxus sempervirens</i> L.	NPh	III-IV	Medit.-Atlant.
<b>17. Campanulaceae</b>			
<i>Asyneuma limonifolium</i> (L.) Janchen	H	VI-VII	NE Medit.
<i>Campanula foliosa</i> Ten.	H	VI-VIII	Sub-Balk.

<i>Campanula glomerata</i> L.	H	VI-IX	Europ. - Caucas.
<i>Campanula hawkinsiana</i> Hausskn. & Heldr.	H	VI-VIII	Subendem.
<i>Campanula scheuchzeri</i> Vill.	H	VI-VIII	Orof. - S Europ.
<i>Campanula sparsa</i> friv.	T	V-VII	Balk.
<i>Campanula spatulata</i> Sibth. & Sm.	H	VI-VIII	S Balk.
<i>Campanula trachelium</i> L.	H	VI-IX	Pantemp.
<i>Campanula trichocalycina</i> Ten.	H	VI-VII	NE Medit.
<i>Campanula tymphaea</i> Hausskn.	H	VI-VII	StenoBalk.
<i>Campanula velebitica</i> Borbas	H	VI-VIII	Balk.
<i>Edraianthus graminifolius</i> (L.) A.D.C.	Ch	VI-VIII	Sub-Balk.
<b>18. Caprifoliaceae</b>			
<i>Centranthus longiflorus</i> Steven	Ch	VI-VII	Europ. - Caucas.
<i>Centranthus ruber</i> (L.) DC.	Ch	V-VII	Stenomedit
<b>19. Caryophyllaceae</b>			
<i>Agrostema githago</i> L.	T	IV-VII	Europ. - Siber
<i>Arenaria serpyllifolia</i> L.	T/H	V-IX	Subcosmop.
<i>Cerastium banaticum</i> (Rochel) Heuffel	H	VI-VIII	Sub-Balk.
<i>Cerastium brachypetalum</i> Pers.	T	III-VI	Europ. - Medit.
<i>Cerastium decalvans</i> Schlosser & Vuk.	H	VI-VIII	Balk.
<i>Cerastium fontanum</i> Baumg.	H	IV-VIII	Circum.-Boreal
<i>Cerastium smolikanum</i> Hartvig	T	VI-VII	Balk.
<i>Dianthus carthusianorum</i> L.	H	VI-VIII	S Europ.
<i>Dianthus deltoides</i> L.	H	V-VIII	Europ. - Caucas.
<i>Dianthus minutiflorus</i> (Borbas) Halacsy	H	VI-VII	Balk.
<i>Dianthus sylvestris</i> Wulfen	H	VI-VIII	Medit.- Mont.
<i>Gypsophila spergulifolia</i> Griseb.	Ch	VI-VIII	Balk.
<i>Herniaria glabra</i> L.	T/H	VI-IX	Pantemp.
<i>Herniaria parnassica</i> Heldr. & Sart.	H	V-VII	Balk.
<i>Lonicera alpigena</i> L.	Ph	V-VI	S Europ.
<i>Lychnis coronaria</i> (L.) Desr.	H	V-VIII	Medit.-Turan.
<i>Lychnis viscaria</i> L.	H	V-VII	Europ. -Siber
<i>Minuartia graminifolia</i> (Ard.) Jav.	Ch	VI-VIII	Anfiadriatike
<i>Minuartia recurva</i> (All.) Schinz & Thell.	Ch	V-VIII	Europ. -Caucas.
<i>Minuartia verna</i> (L.) Hiern	Ch	V-VIII	Europ. -Caucas.
<i>Sagina procumbens</i> L.	H	III-VIII	Subcosmop.
<i>Saponaria officinalis</i> L.	H	VII-X	Europ. -Siber
<i>Silene caesia</i> Hausskn.	H	V-VII	StenoBalkan
<i>Silene fabarioides</i> Hausskn.	H	VI-VII	Balk.
<i>Silene multicaulis</i> Guss.	H	V-VII	Sub-Balk.
<i>Silene parnassica</i> subsp. <i>pindicola</i> (Hausskn.) Greuter	H	V-VIII	Sub-Balk.
<i>Silene pusilla</i> Waldst. & Kit.	H	VI-VII	S Europ.
<i>Silene saxifraga</i> L.	H	V-VIII	S Europ.
<i>Silene roemerii</i> Friv.	H	VI-VIII	Sub-Balk.
<i>Silene tommasini</i> Vis.	H	VI-VII	Balk.
<i>Silene vulgaris</i> (Moench) Garcke	H	III-VIII	Pantemp.
<i>Spergularia rubra</i> (L.) J. & C. Presl	T/H	III-X	Subcosmop.
<i>Stellaria media</i> (L.) Vill.	T	IV-IX	Cosmop.
<b>20. Chenopodiaceae</b>			
<i>Atriplex patula</i> L.	T	VII-X	Circum.-Boreal
<i>Polycnemum arvense</i> L.	T	VII-IX	Europ. - Caucas.
<b>21. Cistaceae</b>			
<i>Cistus albanicus</i> E. F. Warburg	Ch	V-VI	Subendem.
<i>Helianthemum nummularium</i> (L.) Mill.	Ch	V-VIII	Europ. - Caucas.

<b>22. Convolvulaceae</b>			
<i>Cuscuta epithymum</i> (L.) L.	T	VI-IX	Europ. - Caucas.
<i>Cuscuta europaea</i> L.	T	VI-IX	Pantemp.
<b>23. Cornaceae</b>			
<i>Cornus mas</i> L.	Ph	II-IV	SE Europ.
<b>24. Corylaceae</b>			
<i>Corylus avellana</i> L.	Ph	II-III	Europ. - Caucas.
<i>Ostrya carpinifolia</i> Scop.	Ph	IV-V	Circum.-Boreal
<b>25. Crassulaceae</b>			
<i>Jovibarba heuffelii</i> (Schott) A. & D. Love	Ch	VII-VIII	Sub-Balk.
<i>Sedum album</i> L.	Ch	VI-VIII	Europ. - Medit.
<i>Sedum amplexicaule</i> DC.	Ch	V-VIII	Medit.
<i>Sedum cepaea</i> L.	T	V-VIII	Medit. Atlant. ant.
<i>Sedum reflexum</i> L.	Ch	V-VII	C Europ.
<i>Sedum serpentini</i> Janchen	Ch	V-VIII	Subendem.
<b>26. Cupressaceae</b>			
<i>Juniperus communis</i> L.	Ph	IV-V	Circum.-Boreal
<i>Juniperus oxycedrus</i> L.	Ph	IV-V	Europ. - Medit.
<b>27. Cyperaceae</b>			
<i>Blasmus compressus</i> (L.) Link	G	VI-VII	Europ. - Siber
<i>Carex digitata</i> L.	H	IV-VI	Europ. - Caucas.
<i>Carex distans</i> L.	H	IV-VI	Europ. - Medit.
<i>Carex flava</i> L.	H	V-VII	Anfiadriatike
<i>Carex halleriana</i> Asso	H	III-V	Europ. - Medit.
<i>Carex hirta</i> L.	G	IV-VI	Europ. - Caucas.
<i>Carex kitaibeliana</i> Becherer	H	VI-VII	S Europ.
<i>Carex lepidocarpa</i> Tausch	H	V-VII	Boreal
<i>Carex nigra</i> (L.) Reichard	G	V-VII	Subcosmop.
<i>Carex ovalis</i> Good.	H	V-VII	Europ. - Siber
<i>Carex pallescens</i> L.	H	VI-VII	Circum.-Boreal
<i>Carex paniculata</i> L.	H	V-VI	Europ. - Caucas.
<i>Cyperus difformis</i> L.	T	VI-IX	Subcosmop.
<i>Cyperus flavescens</i> L.	T	VII-IX	Subcosmop.
<i>Cyperus fuscus</i> L.	T	VII-X	Pantemp.
<i>Cyperus glaber</i> L.	T	VI-X	Pantemp.
<i>Cyperus longus</i> L.	H	V-VII	Pantemp.
<i>Eleocharis palustris</i> (L.) R. Br.	H	IV-VI	Subcosmop.
<i>Eriophorum angustifolium</i> Honckeny	G	VI-VIII	Circum.-Boreal
<i>Eriophorum latifolium</i> Hoppe	H	VI-VIII	Europ. - Caucas.
<b>28. Dennstaedtiaceae</b>			
<i>Pteridium aquilinum</i> (L.) Kuhn	G	VI-VIII	Cosmop.
<b>29. Dioscoreaceae</b>			
<i>Tamus communis</i> L.	G	IV-V	Europ. - Medit.
<b>30. Dipsacaceae</b>			
<i>Knautia drymeia</i> Heuffel	H	V-VII	SE Europ.
<i>Morina persica</i> L.	H	V-VII	Balk.
<i>Scabiosa columbaria</i> L.	H	V-VIII	Europ. - Caucas.
<i>Scabiosa graminifolia</i> L.	Ch	VI-VIII	Orof. - S Europ.
<i>Scabiosa lucida</i> Vill.	H	VI-VIII	Orof. - S Europ.
<i>Scabiosa ochroleuca</i> L.	H	V-VIII	S Europ. -S Siber.
<i>Scabiosa webbiana</i> D. Don.	H	VI-IX	Balk.
<b>31. Dryopteridaceae</b>			
<i>Dryopteris filix-mas</i> (L.) Schott.	G	VI-VIII	Subcosmop.
<i>Dryopteris villarii</i> (Bellardi) Schinz & Thell.	G	VI-VIII	Orof. - S Europ.
<i>Polystichum aculeatum</i> (L.) Roth	G	VI-VIII	Europ. - Medit.

<i>Polystichum lonchitis</i> (L.) Roth	G	VI-VIII	Circum.-Boreal
<b>32. Elaeagnaceae</b>			
<i>Hippophae rhamnoides</i> L.	Ph	V-VI	Asia
<b>33. Equisetaceae</b>			
<i>Equisetum ramosissimum</i> Desf.	G	V-VI	Circum.-Boreal
<i>Equisetum arvense</i> L.	H	IV-VI	Circum.-Boreal
<i>Equisetum palustre</i> L.	H	V-X	Circum.-Boreal
<i>Equisetum telmateia</i> Ehrh.	G	IV-V	Circum.-Boreal
<b>34. Ericaceae</b>			
<i>Erica herbacea</i> L.	Ch	II-VI	C Europ.
<i>Vaccinium myrtillus</i> L.	Ch	V-VII	Circum.-Boreal
<b>35. Euphorbiaceae</b>			
<i>Euphorbia amygdaloides</i> L.	G	II-VII	Europ. - Caucas.
<i>Euphorbia cyparissias</i> L.	H	IV-VII	Europ. - Caucas.
<i>Euphorbia falcata</i> L.	T	IV-IX	Europ. - Medit.
<i>Euphorbia myrsinites</i> L.	G	V-VIII	S Europ.
<i>Euphorbia niciciana</i> Necker	H	IV-VIII	Europ. - Medit.
<i>Euphorbia spinosa</i> L.	Ch	IV-VI	N Medit.
<i>Mercurialis perennis</i> L.	G	IV-VI	Europ. - Caucas.
<b>36. Fabaceae</b>			
<i>Anthyllis vulneraria</i> L.	H	V-VIII	S Europ.
<i>Astragalus glycyphylloides</i> DC.	H	VI-VII	Sub-Balk.
<i>Astragalus monspessulanus</i> L.	H	V-VII	Illir. (Anfiadriat.)
<i>Astragalus onobrychis</i> L.	H	VI-VII	N Medit.
<i>Chamaecytisus hirsutus</i> (L.) Link	Ch	IV-VI	Europ. - Siber
<i>Chamaecytisus tommasinii</i> (Vis.) Rothm.	Ch	VI-VIII	Balk.
<i>Chamaespartium sagittale</i> (L.) P. E. Gibbs.	Ch	VI-VII	C Europ.
<i>Colutea arborescens</i> L.	Ph	V-VI	Europ. - Medit.
<i>Dorycnium hirsutum</i> (L.) Ser.	Ch	V-VI	Europ. - Medit.
<i>Dorycnium pentaphyllum</i> Scop.	Ch	IV-VI	C Europ.
<i>Genista januensis</i> Viv.	Ch	IV-VI	S Europ.
<i>Genista pulchella</i> Vis.	Ch	VI-VII	Europ.
<i>Genista radiata</i> (L.) Scop.	Ch	VI-VII	Orof. - S Europ.
<i>Genista tinctoria</i> L.	Ch	V-VII	Europ. - Caucas.
<i>Hippocrepis comosa</i> L.	H	V-VII	C Europ.
<i>Hippocrepis glauca</i> Ten.	H	V-VII	S Europ.
<i>Laburnum alpinum</i> (Miller) Berchtold	Ph	V-VI	Orof. - S Europ.
<i>Lathyrus laxiflorus</i> (Desf.) O. Kuntze	H	VI-VIII	Pontic.
<i>Lathyrus niger</i> (L.) Bernh.	G	V-VI	Europ. - Caucas.
<i>Lathyrus pratensis</i> L.	H	V-VIII	Pantemp.
<i>Lotus corniculatus</i> L.	H	V-VIII	Pantemp.
<i>Ononis spinosa</i> L.	Ch	V-IX	Europ. - Medit.
<i>Trifolium hybridum</i> L.	H	V-VIII	Medit. Atlant. ant.
<i>Trifolium pallescens</i> Schreber	H	VII-VIII	Orof. - S Europ.
<i>Trifolium pignanti</i> Fauche & Chaub.	G	V-VII	Balk.
<i>Trifolium pilczii</i> Adamovic	H	VI-VII	Balk.
<i>Trifolium pratense</i> L.	H	III-X	Europ. - Siber
<i>Trifolium repens</i> L.	H	V-VIII	Europ. - Caucas.
<i>Trifolium velenovskyi</i> Vandas	T	VI-VIII	Balk.
<i>Vicia cracca</i> L.	H	V-VIII	Europ. - Caucas.
<b>37. Fagaceae</b>			
<i>Fagus sylvatica</i> L.	Ph	V-VI	C Europ.
<i>Quercus trojana</i> Web.	Ph	III-V	Sub-Balk.
<b>38. Gentianaceae</b>			
<i>Gentiana asclepiadea</i> L.	H	VII-IX	Europ.

<i>Gentiana lutea</i> L.	H	VI-VII	Orof. - S Europ.
<i>Gentiana verna</i> L.	H	V-VII	Europ. - Caucas.
<i>Gentianella bulgarica</i> (Velen.) J. Holub	T	VI-VIII	Balk.
<i>Gentianella crispata</i> (Vis.) J. Holub.	H	VI-VIII	Sub-Balk.
<b>39. Geraniaceae</b>			
<i>Geranium aristatum</i> Freyn. & Sint.	H	VI-VIII	Balk.
<i>Geranium cinereum</i> Cav.	H	VI-VIII	Sub-Balk.
<i>Geranium macrorrhizum</i> L.	G	VI-VIII	S Europ.
<i>Geranium pyrenaicum</i> (L.) Burnm.	H	V-VIII	Europ. - Caucas.
<i>Geranium robertianum</i> L.	T	III-IX	Subcosmop.
<i>Geranium sanguineum</i> L.	H	V-VIII	Europ. - Caucas.
<i>Geranium sylvaticum</i> L.	H	VI-VIII	Europ. - Caucas.
<b>40. Globulariaceae</b>			
<i>Globularia cordifolia</i> L.	Ch	IV-VIII	C Europ.
<i>Globularia meridionalis</i> (Podp.) O. Schwartz	Ch	IV-VII	Anfiadriatike
<b>41. Haloragaceae</b>			
<i>Myriophyllum spicatum</i> L.	Hyd	VI-VIII	Europ. - Siber
<b>42. Hypericaceae</b>			
<i>Hypericum barbatum</i> Jacq.	H	VI-VII	S Europ.
<i>Hypericum perforatum</i> L.	H	V-VIII	Pantemp.
<b>43. Iridaceae</b>			
<i>Crocus dalmaticus</i> Vis.	G	I-IV	Balk.
<i>Crocus chrysanthus</i> Herbert	G	I-VI	Sub-Balk.
<i>Crocus veluchensis</i> Herbert	G	IV-VI	Balk.
<i>Gladiolus palustris</i> Gaudin	G	V-VI	C Europ.
<i>Gladiolus illyricus</i> Koch	G	V-VI	S Europ.
<b>44. Juncaceae</b>			
<i>Juncus alpinus</i> Vill.	G	VI-VIII	Circum.-Boreal
<i>Juncus thomasi</i> Ten.	G	VI-VII	Sub-Balk.
<i>Juncus trifidus</i> L.	G	VI-VIII	Artico-Alp.
<i>Luzula forsteri</i> (Sm.) DC.	H	III-V	Europ. - Medit.
<i>Luzula italica</i> Parl.	H	VII-VIII	Sub-Balk.
<i>Luzula multiflora</i> (Retz.) Lej.	H	V-VI	Circum.-Boreal
<i>Luzula sylvatica</i> (Hudson) Gaudin	H	V-VII	S Europ.
<i>Juncus conglomeratus</i> L.	G	V-VII	Cosmop.
<b>45. Lamiaceae</b>			
<i>Acinos alpinus</i> (L.) Moench	Ch	VI-VIII	Orof. - S Europ.
<i>Ajuga chamaepitys</i> (L.) Schreber	H	IV-X	Europ. - Medit.
<i>Ballota nigra</i> L.	H	V-VIII	Europ. - Medit.
<i>Clinopodium vulgare</i> L.	H	VI-VIII	Circum.- Boreal
<i>Lamiaeum galeobdolon</i> (L.) Ehrend. & Polatschek	H	VI-VIII	Europ. - Caucas.
<i>Lamium garganicum</i> L.	H	IV-VIII	Orof. - Medit.
<i>Melilotus albus</i> Medicus	T	VII-IX	Europ. - Caucas.
<i>Melittis melissophyllum</i> L.	H	V-VIII	Sub-Balk.
<i>Mentha longifolia</i> (L.) Hudson	H	VI-X	Pantemp.
<i>Origanum vulgare</i> L.	H	VI-IX	Europ. - Asia
<i>Prunella ×intermedia</i> Link	H	IV-X	Europ.
<i>Prunella laciniata</i> L.	H	IV-VIII	Europ. - Medit.
<i>Prunella vulgaris</i> L.	H	IV-X	Circum.-Boreal
<i>Salvia glutinosa</i> L.	H	VI-IX	Orof. Europ. -Asia
<i>Salvia officinalis</i> L.	Ch	III-VI	StenoMedit. - N Orient.
<i>Salvia ringens</i> Sibth. & Sm.	H	V-VII	Balk.
<i>Salvia verticillata</i> L.	H	VI-IX	S Europ. -CaucAsia.
<i>Satureja montana</i> L. subsp. <i>montana</i>	Ch	VII-IX	StenoMedit. N Orient.

<i>Scutellaria alpina</i> L.	Ch	VI-VIII	Europ. - Caucas.
<i>Scutellaria columnae</i> All.	H	V-VII	NE Medit.
<i>Sideritis raeseri</i> Boiss. & Heldr.	H	VI-VII	Balk.
<i>Stachys alopecuroides</i> (L.) Benth	H	VI-VIII	Orof. - S Europ.
<i>Stachys germanica</i> L.	H	VI-VIII	Europ. - Medit.
<i>Stachys officinalis</i> (L.) Trevisan	H	VI-VIII	Europ. - Caucas.
<i>Teucrium chamedrys</i> L.	Ch	V-VII	Europ. - Medit.
<i>Teucrium montanum</i> L.	Ch	V-VIII	Orof. - S Europ.
<i>Teucrium polium</i> L.	Ch	VI-VIII	StMedit.
<i>Thymus praecox</i> Opiz.	H	IV-VIII	C Europ.
<i>Thymus striatus</i> Vahl.	H/Ch	V-VII	Sub-Balk.
<i>Thymus teucrioides</i> Boiss. & Spruner	Ch	VI-VII	SubMedit.
<b>46. Lentibulariaceae</b>			
<i>Pinguicula hirtiflora</i> Ten.	H	V-VIII	Orof. - NE Medit.
<b>47. Liliaceae</b>			
<i>Anthericum liliago</i> L.	G	V-VI	Medit.Atlant.ant.
<i>Asphodelus albus</i> Mill.	G	IV-VIII	Orof. - Medit.
<i>Erythronium dens-canis</i> L.	G	III-IV	S Europ. - S Siber.
<i>Lilium albanicum</i> Griseb.	G	V-VII	Balk.
<i>Lilium martagon</i> L.	G	VI-VII	Europ. - Caucas.
<i>Muscari neglectum</i> Ten.	G	III-VI	Europ. - Medit.
<i>Narthecium scardicum</i> Kosanin	H	V-VII	Balk.
<i>Veratrum album</i> L.	G	VII-VIII	Europ. - Caucas.
<b>48. Linaceae</b>			
<i>Linum catharticum</i> L.	T	V-VIII	Europ. - Medit.
<i>Linum punctatum</i> C. Presl	H	V-VII	Sub-Balk.
<i>Linum tenuifolium</i> L.	H	VI-VII	SubMedit.
<i>Linum trigynum</i> L.	T	III-V	Europ. - Medit.
<b>49. Loranthaceae</b>			
<i>Arceutobium oxycedri</i> (DC.) M. Bieb.	NPh	I-VII	Pan.Subtrop.
<i>Viscum album</i> L.	NPh	III-V	Europ. - Asia
<b>50. Lythraceae</b>			
<i>Lythrum portula</i> (L.) D.A. Web	T	VI-X	Europ. - Siber
<b>51. Malvaceae</b>			
<i>Malva moschata</i> L.	H	VI-IX	Europ. - Medit.
<b>52. Nymphaeaceae</b>			
<i>Nymphaea alba</i> L.	Hyd	IV-X	Europ. - Asia
<b>53. Onagraceae</b>			
<i>Epilobium angustifolium</i> L.	H	VI-IX	Circum.-Boreal
<i>Epilobium dodonaei</i> Vill.	H	VI-VIII	S Europ.
<i>Epilobium montanum</i> L.	H	VI-VIII	Europ. - Caucas.
<i>Epilobium parviflorum</i> Schreber	H	VI-VIII	Pantemp.
<i>Epilobium alsinifolium</i> Vill.	H	VI-VIII	Artico-Alpine
<b>54. Orchidaceae</b>			
<i>Cephalanthera longifolia</i> (L.) Fritsch	G	IV-VI	Europ. - Caucas.
<i>Cephalanthera rubra</i> (L.) L.C.M. Richard	G	V-VII	Europ. - Caucas.
<i>Coeloglossum viride</i> (L.) Hartman	G	VI-VIII	Circum.-Boreal
<i>Dactylorhiza cordigera</i> (Fries) Soo	G	V-VII	S Europ.
<i>Dactylorhiza saccifera</i> (Brog.) Soo	G	V-VII	S Europ.
<i>Epipactis palustris</i> (L.) Crantz	G	V-VII	Circum.-Boreal
<i>Neottia nidus-avis</i> (L.) L.C.M. Richard	G	V-VII	Europ. - Caucas.
<i>Orchis coriophora</i> L.	G	IV-VI	Europ. - Medit.
<i>Platanthera chlorantha</i> (Custer) Reichenb.	G	V-VII	Europ. - Siber
<i>Pseudorchis frivaldii</i> (Griseb.) P.F. Hunt	G	VI-VIII	Balk.

<b>55. Orobanchaceae</b>			
<i>Orobanche alba</i> Willd.	T	V-VII	Orof. Europ. -Caucas.
<i>Pedicularis comosa</i> L.	H	VI-VII	Orof. - S Europ.
<i>Pedicularis petiolaris</i> Ten.	H	VI-VII	Medit.
<i>Pedicularis verticillata</i> L.	H	V-VII	Artico-Alpine
<b>56. Ophioglossaceae</b>			
<i>Botrychium lunaria</i> (L.) Swartz	G	VII-VIII	Subcosmop.
<b>57. Oxalidaceae</b>			
<i>Oxalis acetosella</i> L.	H	IV-VI	Circum.-Boreal
<b>58. Papaveraceae</b>			
<i>Pseudofumaria alba</i> (Mill.) Lidén	H	IV-IX	Sub-Balk.
<b>59. Parnassiaceae</b>			
<i>Parnassia palustris</i> L.	H	VII-VIII	Europ. - Siber
<i>Pastinaca sativa</i> L.	H	VII-VIII	Europ. - Siber
<b>60. Pinaceae</b>			
<i>Abies alba</i> Mill.	Ph	IV-V	Orof. - S Europ.
<i>Pinus heldreichii</i> Christ	Ph	V-VI	Balk.
<i>Pinus nigra</i> Arnold	Ph	IV-V	S Europ.
<i>Pinus peuce</i> Griseb.	Ph	V-VI	Balk.
<b>61. Plantaginaceae</b>			
<i>Plantago argentea</i> Chaix.	H	VI-VIII	S Europ.
<i>Plantago gentianoides</i> Sibth. & Sm.	H	VI-VII	Balk.
<i>Plantago lagopus</i> L.	H	IV-VI	StenoMedit.
<i>Plantago lanceolata</i> L.	H	VI-VIII	Europ. - Asia
<i>Plantago major</i> L.	H	VII-X	Europ. - Asia
<i>Plantago subulata</i> L.	H	V-VIII	Orof. - Medit.
<i>Veronica beccabunga</i> L.	H	IV-IX	Europ. - Caucas.
<i>Veronica chamaedrys</i> L.	H	IV-VI	Europ. - Siber
<i>Veronica officinalis</i> L.	H	V-VII	Europ. - Siber
<i>Veronica serpyllifolia</i> L.	H	IV-IX	Circum.-Boreal
<b>62. Plumbaginaceae</b>			
<i>Armeria canescens</i> (Host.) Boiss.	H	VI-VIII	Orof. - S Europ.
<b>63. Poaceae</b>			
<i>Agrostis canina</i> L.	H	V-VII	Europ. - Siber
<i>Agrostis stolonifera</i> L.	H	VI-VII	Circum.-Boreal
<i>Aira elegantissima</i> Schur	T	IV-VI	Medit.
<i>Alopecurus gerardii</i> Vill.	H	VI-VIII	Orof. - Medit.
<i>Alopecurus myosuroides</i> Hudson	T	IV-VI	Pantemp.
<i>Anthoxanthum aristatum</i> Boiss.	T	V-VI	Medit.Atlant.
<i>Anthoxanthum odoratum</i> L.	H	IV-VII	Europ. - Asia
<i>Bellardiochloa violacea</i> (Bellardi) Chiov.	H	VI-VIII	Orof. - S Europ.
<i>Brachypodium distachyon</i> (L.) P. Beauv.	T	IV-VII	StenoMedit. -Turan.
<i>Brachypodium pinnatum</i> subsp. <i>rupestre</i> (Host) Schübl. & G. Martens	H	V-VIII	Europ.-Caucas.
<i>Brachypodium retusum</i> (Pers.) P. Beauv.	H	IV-VI	StenoMedit.
<i>Brachypodium sylvaticum</i> (Hudson) P. Beauv.	H	V-VIII	Pantemp.
<i>Briza maxima</i> L.	T	IV-VI	Pan.Subtrop.
<i>Briza media</i> L.	H	V-VI	Europ. - Siber
<i>Bromus squarrosus</i> L.	T	V-VI	Pantemp.
<i>Bromus sterilis</i> L.	T	IV-VII	Medit.-Turan.
<i>Calamagrostis arundinacea</i> (L.) Roth	H	VI-VIII	Europ. - Caucas.
<i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler	H	VI-VII	Europ. - Siber
<i>Chrysopogon gryllus</i> (L.) Trin.	H	VI-VII	S Europ. - S Siber
<i>Cynodon dactylon</i> (L.) Pers.	G	V-X	Cosmop.
<i>Cynosurus cristatus</i> L.	H	IV-VI	Europ. - Caucas.

<i>Cynosurus echinatus</i> L.	T	IV-VI	Europ. - Medit.
<i>Dactylis glomerata</i> L.	H	V-VI	Pantemp.
<i>Danthonia alpina</i> Vest	H	V-VII	S Europ.
<i>Deschampsia cespitosa</i> (L.) P. Beauv.	H	VI-VIII	Subcosmop.
<i>Deschampsia flexuosa</i> (L.) Ten.	H	VI-VIII	Subcosmop.
<i>Dichanthium ischaemum</i> (L.) Roberty	H	VI-X	Cosmop.
<i>Festuca drymeja</i> Mert. & Koch	G	VI-VIII	Orof. - Medit.
<i>Festuca heterophylla</i> Lam.	H	V-VII	Europ. - Caucas.
<i>Festuca panciciana</i> (Hackel) K. Richter	H	VI-VIII	Balk.
<i>Festuca paniculata</i> (L.) Schniz & Thell.	H	VI-VII	Orof. - Medit.
<i>Festuca rubra</i> L.	H	V-VIII	Circum.-Boreal
<i>Festuca violacea</i> Gaudin	H	VI-VIII	Alpine
<i>Festucopsis serpentini</i> (C.E. Hubb.) Melderis	H	V-VII	Endem.
<i>Hordeum bulbosum</i> L.	H	V-VI	Pan.Subtrop.
<i>Koeleria macrantha</i> (Ledeb.) Schultes	H	VI-VII	Circum. - Boreal
<i>Koeleria splendens</i> C. Presl	H	V-VII	Orof. - Medit.
<i>Melica ciliata</i> L.	H	V-VII	Europ. - Medit.
<i>Melica nutans</i> L.	H	V-VI	Europ. - Caucas.
<i>Melica uniflora</i> Retz.	H	V-VII	Pantemp.
<i>Molinia caerulea</i> (L.) Moench	H	VII-IX	Circum.-Boreal
<i>Nardus stricta</i> L.	H	V-VIII	Europ. - Siber
<i>Phleum alpinum</i> L.	H	V-VIII	Orof. - S Europ.
<i>Poa alpina</i> L.	H	VI-VIII	Circum.-Boreal
<i>Poa bulbosa</i> L.	H	IV-VI	Pantemp.
<i>Poa cenisia</i> All.	H	VI-VII	C Europ.
<i>Poa media</i> Schur.	H	VI-VIII	Sub-Balk.
<i>Poa nemoralis</i> L.	H	VI-VIII	Circum.-Boreal
<i>Poa pratensis</i> L.	H	IV-VII	Circum.-Boreal
<i>Sesleria autumnalis</i> (Scop.) F.W. Schultz	H	III-IV	Medit.
<i>Sesleria coeruleans</i> Friv.	H	V-VII	Sub-Balk.
<i>Stipa bromoides</i> (L.) Doerfler	H	IV-VI	StenoMedit.
<i>Stipa joannis</i> Celak.	H	VI-VII	S Europ. - SubSiber.
<i>Stipa pennata</i> L.	H	VII-VIII	Sub-Balk.
<i>Stipa pulcherrima</i> C. Koch	H	VI-VIII	S Europ. - SubSiber.
<i>Stipa rechingeri</i> Martinovský	H	VI-VII	Balk.
<i>Trisetum flavescens</i> (L.) P. Beauv.	H	V-VI	Europ. - Caucas.
<b>64. Polygalaceae</b>			
<i>Polygala major</i> Jacq.	H	V-VII	E Medit.
<b>65. Polygonaceae</b>			
<i>Polygonum amphibium</i> L.	G	VI-IX	Subcosmop.
<i>Polygonum aviculare</i> L.	T	VI-IX	Cosmop.
<i>Polygonum hydropiper</i> L.	T	V-VI	Circum.-Boreal
<i>Rumex acetosella</i> L.	H	IV-VIII	Subcosmop.
<i>Rumex scutatus</i> L.	H	V-VI	Europ. - Asia
<b>66. Polypodiaceae</b>			
<i>Polypodium vulgare</i> L.	H	III-XI	Circum.-Boreal
<b>67. Potamogetonaceae</b>			
<i>Potamogeton crispus</i> L.	Hyd	IV-VII	Subcosmop.
<i>Potamogeton natans</i> L.	Hyd	V-VI	Subcosmop.
<i>Potamogeton pusillus</i> L.	Hyd	VI-VIII	Subcosmop.
<b>68. Primulaceae</b>			
<i>Anagallis arvensis</i> L.	T	V-X	Europ. - Medit.
<i>Cyclamen hederifolium</i> Aiton	G	VIII-XI	SE Europ.
<i>Primula veris</i> L.	H	V-VI	Orof. - NE Medit.
<i>Soldanella dimonieii</i> Vierh.	H	V-VII	Balk.

<b>69. Pteridaceae</b>			
<i>Cheilanthes marantae</i> (L.) Domin	H	VI-IX	Pan.Subtrop.
<b>70. Pyrolaceae</b>			
<i>Monotropa hypopitys</i> L.	G	VI-IX	Circum.-Boreal
<i>Orthilia secunda</i> (L.) House	Ch	VI-VII	Circum.-Boreal
<b>71. Ranunculaceae</b>			
<i>Aconitum lamarckii</i> Rchb.	H	VI-VII	S Europ.
<i>Anemone apenina</i> L.	G	III-IV	SE Europ.
<i>Anemone nemorosa</i> L.	G	III-VI	Circum.-Boreal
<i>Aquilegia vulgaris</i> L.	H	V-VIII	Pantemp.
<i>Caltha palustris</i> L.	H	IV-VIII	Circum.-Boreal
<i>Clematis vitalba</i> L.	Lian	IV-VI	Europ. - Caucas.
<i>Delphinium fissum</i> Waldst. & Kit.	H	V-VII	Europ. - Caucas.
<i>Helleborus cyclophyllus</i> Boiss.	G	I-IV	Balk.
<i>Helleborus odorus</i> Waldst. & Kit.	G	I-III	SE Europ.
<i>Hepatica nobilis</i> Miller	H	III-V	Circum.-Boreal
<i>Nigella arvensis</i> L.	T	V-VII	Europ. - Medit.
<i>Ranunculus ficaria</i> L.	G	I-V	Europ. - Asia
<i>Ranunculus oreophilus</i> M. Bieb.	H	VI-VIII	Europ. - Caucas.
<i>Ranunculus sardous</i> Crantz	T	IV-VI	Europ. - Medit.
<i>Thalictrum aquilegifolium</i> L.	H	V-VII	Europ. - Siber
<i>Thalictrum minus</i> L.	H	V-VII	Europ. - Caucas.
<i>Trollius europaeus</i> L.	H	V-VIII	Artico-Alp.
<b>72. Rhamnaceae</b>			
<i>Frangula alnus</i> Mill.	Ph	IV-VI	Europ. - Caucas.
<i>Rhamnus alpinus</i> L.	Ph	V-VI	Balk.
<b>73. Rosaceae</b>			
<i>Agrimonia eupatoria</i> L.	H	V-VII	Subcosmop.
<i>Alchemilla cinerea</i> Busser	H	VI-VII	Europ. - Caucas.
<i>Alchemilla xanthochlora</i> Rothm.	H	VI-IX	Europ. - Balk.
<i>Amelanchier ovalis</i> Medik.	Ph	IV-V	Orof. - Medit.
<i>Aremonia agrimonioides</i> (L.) DC.	H	V-VII	NE Medit.
<i>Aruncus dioicus</i> (Walter) Fernald	H	V-VIII	Circum.-Boreal
<i>Cotoneaster integerrimus</i> Medik.	Ph	V-VI	Orof. Europ. - Caucas.
<i>Cotoneaster nebrodensis</i> (Guss.) C. Koch.	Ph	V-VI	S Europ.
<i>Crataegus heldreichii</i> Boiss.	Ph	V-VI	Balk.
<i>Crataegus monogyna</i> Jacq.	Ph	IV-VI	Pantemp.
<i>Fragaria vesca</i> L.	H	V-VI	Europ. - Siber
<i>Fragaria viridis</i> Duchense	H	V-VI	Europ. - Siber
<i>Geum urbanum</i> L.	H	V-VIII	Circum.-Boreal
<i>Potentilla chrysantha</i> Trev.	H	VI-VII	Sub-Balk.
<i>Potentilla cinerea</i> Vill.	H	V-VII	Pontic. - Eurp
<i>Potentilla crantzii</i> (Crantz.) G. Beck.	H	VI-VIII	Artico-Alpine
<i>Potentilla erecta</i> (L.) Rauschel	H	V-VIII	Europ. - Caucas.
<i>Potentilla micrantha</i> Ramond.	H	IV-V	Europ. - Medit.
<i>Potentilla recta</i> L.	H	V-VII	NE Medit.-Pontic.
<i>Potentilla reptans</i> L.	H	VI-VIII	Pantemp. - Subtrop.
<i>Prunus spinosa</i> L.	Ph	IV-V	Europ. - Caucas.
<i>Pyrus amygdaliformis</i> Vill.	Ph	IV-V	Medit.
<i>Rosa canina</i> L.	NPh	V-VII	Europ. - Caucas.
<i>Rosa glutinosa</i> Sibth. & Sm.	NPh	VI-VII	Medit.
<i>Rubus idaeus</i> L.	Ch	V-VI	Circum.-Boreal
<i>Rubus ulmifolius</i> Schott	Ch	V-VI	Europ. - Medit.

<i>Sanguisorba minor</i> Scop.	H	VI-VIII	Europ. - Caucas.
<i>Sanguisorba officinalis</i> L.	H	V-VIII	Circum.-Boreal
<i>Sorbus aucuparia</i> L.	Ph	V-VI	Europ.
<i>Sorbus graeca</i> (Spach) Kotschy	Ph	V-VI	S Europ. - Pont.
<i>Sorbus torminalis</i> (L.) Crantz.	Ph	IV-V	Pantemp.
<b>74. Rubiaceae</b>			
<i>Asperula aristata</i> L.	H	V-VII	Orof. - Medit.
<i>Galium anisophyllum</i> Vill.	H	VII-VIII	C Europ.
<i>Galium aparine</i> L.	T	II-IX	Europ. - Asia
<i>Galium lucidum</i> All.	H	V-IX	Europ. - Medit.
<i>Galium odoratum</i> (L.) Scop.	G	V-VII	Europ. - Caucas.
<i>Galium pseudaristatum</i> Schur	H	VI-VIII	Sub-Balk.
<i>Galium rotundifolium</i> L.	H	V-VII	Europ. - Caucas.
<i>Galium verum</i> L.	H	VI-IX	Europ. - Caucas.
<i>Putoria calabrica</i> (L. f.) DC.	Ch	VI-IX	S Medit.
<b>75. Rutaceae</b>			
<i>Dictamnus albus</i> L.	Ch	V-VI	Europ. - Siber
<b>76. Salicaceae</b>			
<i>Populus nigra</i> L.	Ph	III-IV	Pantemp.
<i>Salix caprea</i> L.	Ph	III-IV	Pantemp.
<i>Salix eleagnos</i> Scop.	Ph	IV-V	S Europ.
<b>77. Santalaceae</b>			
<i>Thesium linophyllum</i> L.	G	V-VII	S Europ.
<b>78. Sapindaceae</b>			
<i>Acer pseudoplatanus</i> L.	Ph	IV-V	Europ. - Caucas.
<i>Acer obtusatum</i> Waldst. & Kit.	Ph	IV-V	Balk.
<b>79. Saxifragaceae</b>			
<i>Saxifraga rotundifolia</i> L.	H	V-VII	Europ. - Caucas.
<i>Saxifraga taygetea</i> Boiss. & Heldr.	H	VI-VII	Sub-Balk.
<i>Saxifraga paniculata</i> Miller	H	VI-VIII	Artico-Alpine
<b>80. Scrophulariaceae</b>			
<i>Chaenorhinum minus</i> (L.) Lange	T	IV-IX	Europ. - Medit.
<i>Digitalis ferruginea</i> L.	H	V-VII	Orof. - NE Medit.
<i>Digitalis grandiflora</i> Mill.	H	VI-VIII	S Europ. - Pont.
<i>Digitalis viridiflora</i> Lindley	H	VI-VIII	Balk.
<i>Euphrasia minima</i> Jacq. DC.	T	VI-IX	C Europ.
<i>Euphrasia pectinata</i> Ten.	T	V-IX	C Europ.
<i>Euphrasia salisburgensis</i> Funck	T	VI-IX	Orof. - S Europ.
<i>Linaria peloponnesiaca</i> Boiss. & Heldr.	H	VI-VIII	Balk.
<i>Misopates orontium</i> (L.) Raf.	T	V-IX	Europ. - Medit.
<i>Rhinanthus minor</i> L.	T	V-IX	Circum.-Boreal
<i>Scrophularia canina</i> L.	H	IV-IX	Europ. - Medit.
<i>Scrophularia heterophylla</i> subsp. <i>laciniata</i> (Waldst. & Kit.) Maire & Petitm.	H	V-VIII	Sub-Balk.
<i>Scrophularia scopoli</i> Hoppe	H	V-VII	Orof. Europ. - Caucas.
<i>Verbascum longifolium</i> Ten.	H	VI-VIII	Orof. - S Europ.
<i>Verbascum nigrum</i> L.	H	VI-VIII	Europ. - Siber
<b>81. Selaginellaceae</b>			
<i>Selaginella selaginoides</i> (L.) Link	T	VI-VII	Artico-Alpine
<b>82. Solanaceae</b>			
<i>Atropa bella-donna</i> L.	H	VI-IX	Orof. - Medit.
<b>83. Taxaceae</b>			
<i>Taxus baccata</i> L.	Ph	III-IV	Pantemp.
<b>84. Thymelaceae</b>			
<i>Daphne blagayana</i> Freyer	Ch	IV-VI	Balk.

<i>Daphne mezereum</i> L.	NPh	III-V	Europ. - Siber
<i>Daphne oleoides</i> Schreber	NPh	V-VI	C Asia
<b>85. Urticaceae</b>			
<i>Urtica dioica</i> L.	H	V-IX	Subcosmop.
<b>86. Valerianaceae</b>			
<i>Valeriana dioscoridis</i> Sibth. & Sm.	H	V-VII	Balk.
<b>87. Violaceae</b>			
<i>Viola alba</i> Besser	H	III-V	Europ. - Medit.
<i>Viola canina</i> L.	H	V-VII	Europ. - Caucas.
<i>Viola dukadjinica</i> W. Becker & Kosanin	H	VI-VIII	Subendem
<i>Viola odorata</i> L.	H	III-VI	Europ. - Medit.
<i>Viola orphanidis</i> Boiss.	H	VI-VII	Balk.
<i>Viola tricolor</i> L.	T/H	VI-VII	Europ. - Caucas.
<b>88. Woodsiaceae</b>			
<i>Gymnocarpium robertianum</i> (Hoffm.) Newman	G	VI-VIII	Circum.-Boreal