

Synoptic table of measured morphological characters.

Sample No.	Plant height (cm)	Sheath colour	Sheath length (mm)	Width of longest leaf (mm)	Inflorescence height (mm)	Inflorescence width (mm)	Proportion of stem with leaves	Presence of visible papillae on old leaves	Leaf margin (macroscopical examination)	Papillae type on leaf margin	Length of leaf papillae or hyaline margin (µm)	Colour of Tepals (colour index 0-5)	Tepals length (mm)	Tepals Width (mm)	Apex of Tepals	Type of distribution of papillae on tepals	Arrangement of Cusps on Stamens	Length ratio of lateral cusp to median cusp of inner stamens	Ratio of filament lamina to median cusp	Protrusion of anthers from corolla	Bulbet shape	Average length of bulblets (mm)	Length of largest bulblet (mm)
AS509a	100	n.e.	n.e.	14	56	47	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink (2)	4.5	2	Obtuse	A	A	× 4	× 4	Included or partially exerted	Helmet or subspherical (Type A)	n.e.	n.e.
AS513a	85	n.e.	n.e.	11	38	44	½ – ¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75	Pink (2)	4.5	2	Sub-acute to obtuse	A	A	× 3.5	×3.5	Included or partially exerted	Helmet or subspherical (Type A)	9.5	11.0
AS513b	72	n.e.	n.e.	7	39	44	½	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75–100	Pink (2)	4	1.5	Obtuse with a short mucro	A	A	×3.0	×3.0	Included or partially exerted	Helmet or subspherical (Type A)	8.5	10.0
AS513c	30	n.e.	n.e.	3	14	19.5	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Purple (3)	4	1.5	Obtuse	A	A	× 4	×2.5	Included or partially exerted	Helmet or subspherical (Type A)	3.5	5.0
AS514a	25	n.e.	n.e.	3	10	13	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink (2)	4	2	Sub-acute with a small blunt mucro.	A	A	× 3	×3.0	Included or partially exerted	Helmet or subspherical (Type A)	5.5	7.0
AS523a	63	n.e.	n.e.	8	41	42	½	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75	Pink (2)	4.5	2	Obtuse	A	A	× 4	×2.5	Included or partially exerted	Helmet or subspherical (Type A)	7.0	8.0
AS523b	79	n.e.	n.e.	11	50	48	½	No	Smooth, margin a narrow hyaline lining	A		Pink (2)	4.5	2	Obtuse	A	A	× 3	×2.5	Included or partially exerted	n.e.	n.e.	n.e.
AS523c	28	n.e.	n.e.	5	22	24	½ – ¾	No	Smooth, margin a narrow hyaline lining	A		Pink (2)	4	1.5	Obtuse to subtruncate	A	A	× 2	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS523d	17	n.e.	n.e.	3.5	15	18	½	No	Smooth, margin a narrow hyaline lining	A		Purple (3)	4	2	Subacute - Obtuse	A	A	× 2.5	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS523e	38	n.e.	n.e.	5	26	30	½	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75–100	Lilac (1) becoming whitish	4.5	2	Obtuse	A	A	× 2	×3.0	Included or partially exerted	Helmet or subspherical (Type A)	4.5	6.5
AS523f	28	n.e.	n.e.	4.5	21	24	½	No	Smooth, margin a narrow hyaline lining	A		Purple (3)	4.5	2	Obtuse	A	A	-	-	Included or partially exerted	n.e.	n.e.	n.e.
AS524a	80	n.e.	n.e.	14	37	41	½	No	Smooth, margin a narrow hyaline lining	A		Pink (2)	5	2	Subacute, some with a small blunt	A	A	× 3	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS524b	67	n.e.	n.e.	9	49	45	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Light pink - lilac (1)	4.5	2	Broadly acute to subtruncate	A	A	× 3	×2.5	Included or partially exerted	Helmet or subspherical (Type A)	6.5	5.5
AS524c	87	n.e.	n.e.	16	61	63	½	No	Smooth, margin a narrow hyaline lining	A		Lilac	4.5	2	Obtuse	A	A	× 2.5	×2.0	Included or partially exerted	n.e.	n.e.	n.e.
AS524d	80	n.e.	n.e.	12	48	47	½	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50–75	Pink (2)	4.5	2	Obtuse	A	A	× 3	×2.5	Included or partially exerted	n.e.	9.8	10.5
AS524e	37	n.e.	n.e.	8	24	29	½	No	Smooth, margin a narrow hyaline lining	A		Lilac	5	1.5	Subacute	A	A	× 3	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS524f	40	n.e.	n.e.	6	22	28	½	No	Smooth, margin a narrow hyaline lining	A		Pink	4	2	Subacute, few with a small tiny blunt tip	A	A	× 2.5	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS524g	65	n.e.	n.e.	9.5	39	37	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4.5	2	Obtuse. Few tepals with a small tiny	A	A	× 3	×3.5	Included or partially exerted	Helmet or subspherical (Type A)	7.5	7.0
AS524h	69	n.e.	n.e.	13	45	44	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4	2	Subacute	A	A	× 3	×3.5	Included	n.e.	n.e.	n.e.
AS524i	83	n.e.	n.e.	10	57	51	½	No	Smooth, margin a narrow hyaline lining	A		Pink (2)	4.5	2	Subacute to obtuse	A	A	× 3	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS524j	28	n.e.	n.e.	5	15	20	½	No	Smooth, margin a narrow hyaline lining	A		Lilac (1)	4.5	2	Obtuse with a short blunt tip	A	A	× 3	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS528a	22	n.e.	n.e.	3	17	22	½	No	Smooth, margin a narrow hyaline lining	A		Lilac (1)	4	1.5	Obtuse	A	A	× 2.5	×3.5	Included or partially exerted	n.e.	n.e.	n.e.

AS528b	79	n.e.	n.e.	11	50	48	½	No	Smooth, margin a narrow hyaline lining	A		Lilac (1)	4.5	2	Obtuse	A	A	× 2.5	×3.5	Included or partially exerted	Helmet or subspherical (Type A)	6.5	6.0
AS529a	100	n.e.	n.e.	-	65	58	½	No	Leaf not available	-		Pale pink (1)	4.5	2	Obtuse - subacute	A	A	× 2.5	×3.5	Included or partially exerted	n.e.	n.e.	n.e.
AS529b	95	n.e.	n.e.	-	58	50	½	No	Leaf not available	-		Purple-pink (2)	4.5	2	Obtuse - subacute	A	A	× 3.5	×3.0	Included or partially exerted	Helmet or subspherical (Type A)	7.5	9.0
AS529c	100	n.e.	n.e.	13	70	60	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Purple-pink (2)	4.5	2	Obtuse - subacute	A	A	× 3	×3.0	Included or partially exerted	Helmet or subspherical (Type A)	10.5	9.5
AS529d	105	n.e.	n.e.	-	60	58	½	No	Leaf not available	-		Pale pink (1)	4.5	2	Obtuse	A	A	× 4	×3.0	Included or partially exerted	Helmet or subspherical (Type A)	10.5	9.0
AS601a	18	n.e.	n.e.	3	13	18	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pale pink (1)	4	2	Obtuse to subacute in some tepals	A	A	× 4	×2.5	Included or partially exerted	n.e.	n.e.	n.e.
AS601b	28	n.e.	n.e.	3.5	15	20	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pale pink (1)	4	2	Obtuse	A	A	× 3	×2.5	Included or partially exerted	Helmet or subspherical (Type A)	5.0	7.0
AS601c	26	n.e.	n.e.	5	22	25	½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Purple-pink (2)	4	2	Subacute	A	A	× 2.5	×3.5	Included or partially exerted	n.e.	n.e.	n.e.
AS601d	43	n.e.	n.e.	8	31	29	½	No	Smooth, margin a narrow hyaline lining	A		Pale pink (1)	4	1.5	Obtuse to subacute in some tepals	A	A	× 2	×3.0	Included or partially exerted	n.e.	n.e.	n.e.
AS601e	111	n.e.	n.e.	20	54	55	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	F	200–250	Purple, rather dark (3)	3.5	1.7	Acute (sub-truncate) with a small blunt	C	B	× 2	× 1.5	Fully exerted by 2–3mm	Helmet or subspherical (Type A)	12.0	15.0
AS601f	145	n.e.	n.e.	20	69	71	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple, rather dark (3)	3.5	2	Acute (sub-truncate) with a small blunt	C	A + B	× 3.5	× 1.6	Fully exerted by 2–3mm	n.e.	n.e.	n.e.
AS612a	90	n.e.	n.e.	13	50	53	½ – ¾	No	Smooth, margin a narrow hyaline lining	A	200–250	Lilac (1)	3.5	1.5	Obtuse to blunt (sub-acute)	A	A	× 3	× 2.1	Included	n.e.	n.e.	n.e.
AS612b	100	n.e.	n.e.	20.5	52	50	½	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink (2)	4	2	Obtuse, sometimes sub-acute or	A	A	× 3	×2.5	Included or partially exerted	Helmet or subspherical (Type A)	7.0	9.0
AS612c	40	n.e.	n.e.	5	26	24	½ – ¾	No	Leaf not available	X	200–250	Lilac (1)	4	2	Subacute	A	A	× 3.5	×2.5	Included or partially exerted	n.e.	n.e.	n.e.
AS614a	140	n.e.	n.e.	31	49	54	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	3.5	2	Subacute	C	C	× 3.5	×1.2	Fully exerted	n.e.	n.e.	n.e.
AS614b	135	n.e.	n.e.	26	46	50	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute	B/C	C	× 4.5	×1.2	Fully exerted	n.e.	n.e.	n.e.
AS614c	122	n.e.	n.e.	18	43	47	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute	B	C	× 3.2	×1.3	Fully exerted	Helmet or subspherical (Type A)	12.0	16.0
AS614d	164	n.e.	n.e.	34	71	72	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Acute	C	C	×2.7	×0.8 (lamina shorter from cusp)	Fully exerted	n.e.	n.e.	n.e.
AS614e	139	n.e.	n.e.	21	51	54	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	3.5	2	Subacute	B	C	× 4.0	×1.6	Fully exerted	n.e.	n.e.	n.e.
AS614f	134	n.e.	n.e.	21	51	56	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute	B	C	× 2.8	×1.2	Fully exerted	n.e.	n.e.	n.e.
AS614g	122	n.e.	n.e.	19.5	45	48	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute	B	C	× 2.9	×1.1	Fully exerted	n.e.	n.e.	n.e.
AS614h	138	n.e.	n.e.	22	47	50	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute	B	C	× 2.6	×0.8 (lamina shorter from cusp)	Fully exerted	n.e.	n.e.	n.e.
AS614i	147	n.e.	n.e.	24.5	64	68	½ – ¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute	C	C	× 3.0	×1.2	Fully exerted	Helmet or subspherical (Type A)	13.0	16.0
AS617a	82	n.e.	n.e.	18	40	44	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	3.5	1.5	Subacute ending with a short mucro	B	C	× 4.0	×1.4	Fully exerted	n.e.	n.e.	n.e.
AS617b	106	n.e.	n.e.	25	44	48	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute, ending with a short mucro	B	C	× 3.1	×1.0	Fully exerted	Helmet or subspherical (Type A)	12.0	15.0
AS617c	121	n.e.	n.e.	18	44	49	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute, ending with a short mucro	C	C	× 4.0	×1.2	Fully exerted	n.e.	n.e.	n.e.
AS617d	165	n.e.	n.e.	27	72	75	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200–250	Purple-mauve (3)	4	2	Subacute, ending with a short mucro	B	C	×3.5	×1.0	Fully exerted	Helmet or subspherical (Type A)	10.0	14.0
AO514a	53	n.e.	n.e.	4	29	32	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	4	2	Obtuse	A	A	×2	×4	Included or partially exerted	n.e.	n.e.	n.e.
AO514b	51	n.e.	n.e.	-	33	38	-	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	4	2	Obtuse	A	A	×2	×4	Included or partially exerted	Helmet or subspherical (Type A)	6.0	7.0

AO516a	47	n.e.	n.e.	6	43	21	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	5	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO516b	39	n.e.	n.e.	4	39	30	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	5	2	Obtuse	A	A	x2	x4	Included or partially exerted	Helmet or subspherical (Type A)	5.0	7.0
AO517a	56	n.e.	n.e.	7	42	35	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	4	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO517b	29	n.e.	n.e.	3	21	26	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	5	2	Obtuse	A	A	x2	x4	Included	Helmet or subspherical (Type A)	6.0	7.0
AO518a	90	n.e.	n.e.	11	47	56	½–¾	No	Smooth or subcrenulate with flattened, weathered papillae	B	75–250	Pink	4.5	2	Obtuse	A	A	x2	x4	Included or partially exerted	Helmet or subspherical (Type A)	8.0	10.0
AO518b	95	n.e.	n.e.	12.5	43	51	-	No	Smooth or subcrenulate with flattened, weathered papillae	B	75–250	Pink	5	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO520a	70	n.e.	n.e.	7	40	48	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	200–250	Pink	4	2	Obtuse	A	A	x2	x4	Included or partially exerted	Helmet or subspherical (Type A)	5.5	8.0
AO520b	88	n.e.	n.e.	9	35	47	½–¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO524a	88	n.e.	n.e.	-	75	31	-	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4.5	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO524b	50	n.e.	n.e.	9	57	26	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4.5	1.5	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO528a	32	n.e.	n.e.	4	21	28	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4.5	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO528b	31	n.e.	n.e.	4	26	25	½–¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	5	2	Obtuse	A	A	x2	x4	Included	Helmet or subspherical (Type A)	4.0	6.0
AO528c	137	n.e.	n.e.	18	53	52	¼	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75–100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	150–250	Dark purple (4)	4.5	2	Obtuse	C	A + B	x2.2	x1.5	Fully exerted by 2–3mm	n.e.	n.e.	n.e.
AO528d	177	n.e.	n.e.	25	67	65	¼–½	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75–100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	100–250	Dark purple (4)	4.5	2	Obtuse	C	A	n.e.	n.e.	Fully exerted by 2–3mm	n.e.	n.e.	n.e.
AO528e	107	n.e.	n.e.	26	47	43	-	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75–100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	75–200	Dark purple (4)	4.5	2	Obtuse	C	A	n.e.	n.e.	Fully exerted by 2–3mm	Mixed shapes (Type C)	12.0	14.0
AO529a	86	n.e.	n.e.	14	52	43	-	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Pink	4	2	Obtuse	A	A	x2	x4	Fully exerted	n.e.	n.e.	n.e.
AO529b	53	n.e.	n.e.	6	45	33	¼	No	Smooth, margin a narrow hyaline lining	A		Pink	5	2	Obtuse	A	A	x2	x4	Included or partially exerted	Helmet or subspherical (Type A)	4.0	5.0
AO529c	91	n.e.	n.e.	11	61	62	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO529d	52	n.e.	n.e.	5	45	40	½–¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50–75	Pink	5	2	Obtuse	A	A	x2	x4	Included or partially exerted	Helmet or subspherical (Type A)	4.0	5.5
AO602a	99	n.e.	n.e.	20.5	52	56	½–¾	No	Smooth, margin a narrow hyaline lining	A		Pink	5	2	Obtuse	A	A	x2	x3	Included or partially exerted	n.e.	n.e.	n.e.
AO602b	58	n.e.	n.e.	7	36	38	½–¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4	2	Obtuse	A	A	x2	x4	Included or partially exerted	Helmet or subspherical (Type A)	n.e.	8.0
AO602c	63	n.e.	n.e.	6	31	22	-	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4	2	Subacute	A	A	x1.5	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO604a	27	n.e.	n.e.	0	24	21	¼	No	Leaf not available	-		Pink	4	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO604b	46	n.e.	n.e.	6	28	31	¼	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75	Pink	4	2	Obtuse	A	A	x2	x4	Included	n.e.	n.e.	n.e.
AO605a	25	n.e.	n.e.	5	13	11	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	3.5	2	Obtuse	A	A	x2	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO605b	32	n.e.	n.e.	4	18	26	½–¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4	2	Subacute	A	A	x1.5	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO607a	60	n.e.	n.e.	10	45	32	¼	No	Smooth, margin a narrow hyaline lining	A		Pink	5	2	Obtuse	A	A	x1.5	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO607b	50	n.e.	n.e.	8	45	36	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B		Very pale pink	4.5	2	Obtuse	A	A	x0.75	x1.5	Included or partially exerted	Helmet or subspherical (Type A)	n.e.	6.0
AO616a	68	n.e.	n.e.	12	43	37	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pink	4.5	2	Obtuse	A	A	x1.5	x4	Included or partially exerted	n.e.	n.e.	n.e.

AO617a	38	n.e.	n.e.	5	35	29	½ – ¾	No	Smooth, margin a narrow hyaline lining	A		Pink	4	2	Obtuse	A	A	x1.5	x4	Included or partially exerted	n.e.	n.e.	n.e.
AO617b	181	n.e.	n.e.	24	91	77	½-¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	n.e.	Light violet	4	2	Obtuse	A	A	n.e.	n.e.	Fully exerted	Helmet or subspherical (Type A)	n.e.	12.5
AO617c	163	n.e.	n.e.	18	70	75	¼-½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	n.e.	Light violet	4	2	Obtuse	A	A	n.e.	n.e.	Fully exerted	n.e.	n.e.	n.e.
BS502a	35	Maroon	38	9	23	26	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75–100	White (0)	4	2	Obtuse	A	A	x2.5	x3	Included or partially exerted	Helmet or subspherical (Type A)	6.0	7.0
BS502b	82	Maroon, turning green towards the	30	14	49	55	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac-white (1)	4.5	2	Obtuse (to almost truncate) with	A	A	x2.2	x2	Included or partially exerted	Helmet or subspherical (Type A)	10.0	11.0
BS502c	46	Maroon	n.e.	6	26	29	¾	No	Smooth, margin a narrow hyaline lining	A		Pale Purple (2)	4.5	2	Obtuse to almost truncate.	A	A	x2	x2	Included or partially exerted	n.e.	n.e.	n.e.
BS502d	42	Maroon	n.e.	12	30	35	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75–100	Lilac-white (1)	5	2	Obtuse with a short blunt subcuspidate	A	A	x2.5	x3.2	Included or partially exerted	Helmet or subspherical (Type A)	7.0	8.0
BS502e	65	Maroon	n.e.	12	47	50	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75	Lilac-white (1)	4.5	2	Obtuse with a short blunt subcuspidate	A	A	x2	x2	Included or partially exerted	Helmet or subspherical (Type A)	n.e.	n.e.
BS502f	28	Maroon	n.e.	10	20	20	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Lilac-white (1)	4.5	2	Subacute	A	A	x2	x1.8	Included or partially exerted	n.e.	n.e.	n.e.
BS504a	65	Maroon	n.e.	10	25	35	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac-white (1)	4.5	2	Subacute to obtuse	A	A	x3	x2.5	Included or partially exerted	Helmet or subspherical (Type A)	8.5	10.0
BS504b	75	Maroon	n.e.	10.5	39	45	½ – ¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50–75	Lilac-white (1)	4.5	2	Subacute to obtuse	A	A	x2.5	x2.2	Included or partially exerted	n.e.	9.0	10.0
BS505a	50	Maroon	n.e.	8.5	25	34	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac-white (1)	4.5	2	Subacute	A	A	x2	x2.5	Included or partially exerted	Helmet or subspherical (Type A)	7.5	8.5
BS505b	35	Maroon	n.e.	7	22	28	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac-white (1)	4	2	Subacute	A	A	x1.8	x2	Included or partially exerted	Helmet or subspherical (Type A)	6.5	7.0
BS506a	105	Maroon	55	17	60	66	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75–100	Lilac-white (1)	4.5	2	Obtuse ending with a small pointed	A	A	x2	x2.2	Included or partially exerted	Helmet or subspherical (Type A)	11.0	11.5
BS512a	32	Maroon	n.e.	5	20	24	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac (2)	4	2	Obtuse	A	A	x2	x3.5	Included or partially exerted	Helmet or subspherical (Type A)	4.5	5.0
BS512b	30	Maroon, turning green towards the	n.e.	5	15	24	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Purple (3)	4.5	2	Acute	A	A	x2.5	x3.5	Included	Helmet or subspherical (Type A)	5.0	6.0
BS512c	27	Maroon	n.e.	5	16	25	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Purple (3)	5	2	Acute	A	A	x2	x3	Included or partially exerted	Helmet or subspherical (Type A)	5.0	6.0
BS513a	67	Maroon, turning green towards the	n.e.	9	26	37	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac (2)	4.5	2	Acute	A	A	x2.5	x3	Included or partially exerted	Helmet or subspherical (Type A)	8.0	10.0
BS513b	30	Maroon	25	4	17	18	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		White (0)	4	2	Sub-acute	A	A	x2.5	x3	Included or partially exerted	Helmet or subspherical (Type A)	4.0	5.0
BS513c	28	Maroon	n.e.	6	27	28	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac-White (1)	4.5	2	Obtuse ending with a small pointed	A	A	x2	x2.2	Included or partially exerted	Helmet or subspherical (Type A)	10.0	11.0
BS514a	35	Maroon	n.e.	5	20	24	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50–75	Lilac-White (1)	4	2	Obtuse ending with a small pointed	A	A	x2.2	x3	Included	Helmet or subspherical (Type A)	5.5	7.0
BS514b	70	Maroon	n.e.	13	52	58	¾	No	Smooth, margin a narrow hyaline lining	A		Pale purple-mauve (2)	5	2	Subacute	A	A	x2	x3	Included or partially exerted	Helmet or subspherical (Type A)	10.0	11.0
BS515a	25	Maroon	n.e.	3	19	20	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	White (0)	5	2	Subacute, some ending with a very	A	A	x2.5	x2.5	Included or partially exerted	Helmet or subspherical (Type A)	n.e.	n.e.
BS515b	72	Maroon	28	13	36	41	½ – ¾	No	Smooth, margin a narrow hyaline lining	A		Light purple (2)	4.5	2.2	Obtuse (to almost truncate)	A	A	x2.2	x2.2	Included or partially exerted	n.e.	n.e.	n.e.
BS515c	85	Maroon	25	16	46	47	¾	No	Smooth, margin a narrow hyaline lining	A		Lilac (1)	4.5	2	Obtuse to subacute	A	A	x2	x2.5	Included or partially exerted	n.e.	n.e.	n.e.
BS518a	100	Maroon	n.e.	14	63	60	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Purple (3)	4.5	2	Obtuse	A	A	x3.0	x2.2	Included or partially exerted	Helmet or subspherical (Type A)	10.0	11.0
BS518b	80	Maroon	n.e.	10	41	45	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pale purple (2)	5	2	Obtuse with a short mucronate	A	A	x2.5	x2.5	Included or partially exerted	Helmet or subspherical (Type A)	8.0	9.0
BS520a	80	Maroon	n.e.	18	32	38	½ – ¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pale purple (2)	4.5	2	Acute	A	A	x3.0	x2.5	Included or partially exerted	n.e.	n.e.	n.e.
BS520b	85	Maroon	45	12	42	42	½ – ¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75	Pale purple (2)	4	2	Subacute with a mucronate tip	A	A	x1.8	x2.2	Included or partially exerted	Helmet or subspherical (Type A)	9.0	10.0

BS520c	75	Maroon	n.e.	8	29	30	½ - ½	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pale purple (2)	4	1.8	Subacute	A	A	x2	x2.5	Included or partially exerted	Helmet or subspherical (Type A)	6.5	7.0
BS520d	22	Maroon	50	3	16	18	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Lilac-white (1)	4	2	Subacute	A	A	x1.8	x2.0	Included or partially exerted	Helmet or subspherical (Type A)	5.0	6.0
BS520e	55	Maroon	n.e.	6	19	19	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50-75	Pale purple (2)	4	1.8	Acute	A	A	x3.5	x2.5	Included or partially exerted	Helmet or subspherical (Type A)	6.0	7.5
BS520f	82	Maroon	n.e.	10	36	42	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50-75	Pale purple (2)	5	2	Obtuse with a mucronate tip	A	A	x3	x2.5	Included	Helmet or subspherical (Type A)	10.0	11.0
BS520g	16	Maroon, turning green towards the	n.e.	2	10	11	¾	No	Smooth, margin a narrow hyaline lining	A		Pale purple (2)	4	2	Subacute	A	A	x3	x2.5	Included	n.e.	n.e.	n.e.
BS523a	45	Maroon	45	8	31	36	¾	No	Smooth, margin a narrow hyaline lining	A		Purple (3)	4.5	2	Obtuse-truncate	A	A	x3	x2.2	Included or partially exerted	Helmet or subspherical (Type A)	10.0	11.5
BS527a	55	Maroon	n.e.	7	35	32	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Pale purple (2)	4.5	2	Subacute	A	A	x2	x2.8	Included or partially exerted	Helmet or subspherical (Type A)	9.0	10.0
BS527b	27	Pale green becoming maroon at the	32	9	25	22	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	75	Lilac (1)	4	2	Obtuse to sub-truncate	A	A	x2	x3.0	Included or partially exerted	Helmet or subspherical (Type A)	6.0	7.0
BS528a	37	Maroon	32	6	28	31	¾	No	Smooth or subcrenulate with flattened, weathered papillae	B		Lilac (1)	4	2	Subacute	A	A	x2	x3.2	Included or partially exerted	n.e.	n.e.	n.e.
BS601a	17	Maroon	n.e.	4	18	15	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Lilac (1)	4	2	Obtuse	A	A	x2	x3	Included or partially exerted	n.e.	n.e.	n.e.
BS601b	26	Maroon	30	6	25	28	¼ - ¼	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Pale purple (2)	4.5	2	Obtuse	A	A	x1.8	x2.5	Included or partially exerted	n.e.	n.e.	n.e.
BS601c	85	Maroon	30	15	50	52	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Lilac (1)	4.5	2	Obtuse	A	A	x2	x3	Included or partially exerted	Helmet or subspherical (Type A)	n.e.	n.e.
BS601d	25	Maroon, green towards the apex	20	7	22	25	¾	No	Smooth	A		Lilac (1)	4	2	Obtuse with a short blunt tip	A	A	x2	x2.2	Included or partially exerted	Helmet or subspherical (Type A)	6.0	7.0
BS603a	75	n.e.	n.e.	45	55	62	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	G	n.e.	Dark purple (4)	5.5	2.5	Acute to sub-acute	D	A	x1.5	x0.8 to x1.0 (lamina ≤ than cusp)	Fully exerted by >2mm	Hemispherical to helmet shape with short cuspidate ends.	18.0	20.0
BS603b	95	n.e.	n.e.	42	78	82	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	n.e.	n.e.	Purple (3)	5.5	2.5	Subacute with a small blunt tip.	D	A	x1.5	x0.8 to x1.0 (lamina ≤ than cusp)	Fully exerted by >2mm	Hemispherical to helmet shape with short cuspidate ends.	22.0	25.0
BS603c	74	n.e.	n.e.	28	40	48	¾	Yes	Denticulate-hairy margin formed by flattened, finger-shaped papillae (300-350 long), with obtuse, non-swollen tips and slightly broad bases.	G	300-350	Purple (3)	5.5	2.8	Subacute	D	A	x1.5	x1 - x1.2	Fully exerted by >2mm	Hemispherical to helmet shape with short cuspidate ends.	17.0	19.0
BS603d	95	n.e.	n.e.	37	61	55	¾	Yes	Denticulate-hairy margin formed by flattened, finger-shaped papillae up to 350 long), with obtuse, non-swollen tips and slightly broad bases.	G	275-350	Purple (3)	5	2.5	Subacute	D	A	x1.8	x1 - x1.2	Fully exerted by >2mm	Hemispherical to helmet shape with short cuspidate ends.	21.0	24.0
BS606a	180	Membranous, pale green	42	31	68	77	¾	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75-100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	75-250	Dark purple (4)	4	2	Obtuse	C	A	x2.2	x1.8	Fully exerted by 2-3mm	Mixed shapes (Type C)	14.0	17.0
BS606b	30	Maroon, green towards the apex	n.e.	5	24	26	¾	No	Scabrid margin composed of mixed types of papillae: short knobby papillae (75-100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	75-250	White (0)	4.5	2	Subacute	A	A	x2.0	x3.0	Partially exerted (0.5-1.0mm)	Helmet or subspherical (Type A)	7.0	8.0
BS606c	80	n.e.	n.e.	12	41	47	½ - ½	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75-100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	125-250	Dark purple (4)	4	2	Obtuse, sometimes with a tiny,	B-C	A + B	x2.2	x1.5	Fully exerted by 2-3mm	Mixed shapes (Type C)	12.0	13.0
BS606d	71	n.e.	n.e.	19	45	46	¾	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75-100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	G	275-350	Pale purple (2)	4.5	2	Acute to Subacute	D	A	x3.0	x1.5	Fully exerted by >2mm	Hemispherical to helmet shape with short cuspidate ends.	11.0	12.0
BS606e	95	n.e.	n.e.	20	56	58	¾	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75-100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	G	300-400	Pale purple (2)	5	2.5	Subacute	D	A	x3.0	x1 - x1.2	Fully exerted by >2mm	Hemispherical to helmet shape with short cuspidate ends.	13.0	15.0
BS606f	138	Membranous, pale green	n.e.	19	67	67	¾	Yes	Scabrid margin composed of mixed types of papillae: short knobby papillae (75-100 long) and cylindrical to finger-shaped papillae (250). Distribution of papillae	F	200-250	Dark purple (4)	4	2.5	Subacute	C	A	x2.5	x1.5	Fully exerted (> 2mm)	Mixed shapes (Type C)	13.0	14.0
BS606g	48	Maroon	n.e.	6	28	32	¾	No	Scabridulous by minute papillae on the terminal part of young leaves, sometimes in an irregular or patchy distribution	C	50	Lilac (1)	4.5	2.5	Obtuse	A	A	x2.0	x2.0	Partially exerted (0.5-1.0mm)	Helmet or subspherical (Type A)	8.0	10.0
BS609a	160	Membranous, pale green	n.e.	26	48	52	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200-250	Dark purple (4)	4.5	2	Variable, subacute to acute	B	C	x2.8	x1.2	Fully exerted (> 2mm)	Mixed shapes (Type C)	14.0	16.0
BS609b	142	Membranous, pale green	n.e.	29	45	48	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200-250	Dark purple (4)	5	2.5	Acute	B	C	x2.8	x1	Fully exerted (> 2mm)	Mixed shapes (Type C)	n.e.	n.e.
BS609c	118	Membranous, pale green	75	20	40	44	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200-250	Dark purple (4)	4.2	2.5	Obtuse	B	C	x3.2	x1.1	Fully exerted (> 2mm)	Mixed shapes (Type C)	13.0	15.0
BS612a	160	Membranous, pale green	45	24	85	90	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	175-225	Dark purple (4)	4.2	2.5	Acute to subacute	B	C	x2.5	x1.2	Fully exerted (> 2mm)	Mixed shapes (Type C)	10.0	13.0
BS612b	110	Membranous, pale green	n.e.	33	60	65	¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	200-250	Dark purple (4)	4	2.2	Acute to subacute	B	C	x2.5	x1.1	Fully exerted (> 2mm)	Mixed shapes (Type C)	9.0	13.0

BS612c	145	Membranous, pale green	55	33	80	82	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	E	225–250	Dark purple (4)	4.5	2.2	Obtuse	B	C	x2.4	x1.16	Fully exerted (> 2mm)	Mixed shapes (Type C)	11.0	12.5
BS627a	80	Membranous, pale green	35	14	40	42	½ – ¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	D	175–225	Pale mauve-purple (2)	4.5	2.5	Obtuse	B	D	x2	x1.4	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, distinctly acuminate. (Type B)	12.0	15.0
BS627b	75	Membranous, pale green	40	13	38	45	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	D	150–200	Pale mauve-purple (2)	5	2.5	Obtuse	B	D	x2	x1.2	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, distinctly acuminate. (Type B)	12.0	14.0
BS627c	60	Membranous, pale green	18	12	32	34	½ – ¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	D	150–200	Purple (3)	4.5	2.5	Obtuse to subacute	B	D	x1.8	x1.1	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, distinctly acuminate. (Type B)	10.0	12.0
BS627d	70	Membranous, pale green	50	13	42	40	½ – ¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	D	150–225	Pale mauve-purple (2)	4	2.5	Obtuse	B	D	x2.2	x1.1	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, distinctly acuminate. (Type B)	14.0	18.0
BS627f	75	Membranous, pale green	45	15	45	45	½ – ¾	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	D	175–250	Pale mauve-purple (2)	4	2	Obtuse	B	D	x2	x1.2	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, distinctly acuminate. (Type B)	11.0	14.0
BS628a	120	Membranous, pale green	35	24	72	82	½	Yes	Denticulate-scabrid with distinct papillae visible by the naked eye along entire margin	D	150–225	Pale Purple (2)	4.5	2.5	Obtuse	B	D	x2.2	x1.2	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, distinctly acuminate. (Type B)	13.0	19.0
BS628b	75	Maroon	25	9	35	35	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	n.e.	n.e.	5	2	Acute to subacute (dried tepals)	A	A	n.e.	n.e.	n.e.	Helmet to subspherical (Type A)	9.0	9.0
BS628c	75	Maroon	n.e.	8	38	36	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	n.e.	n.e.	4.5	2	subacute with a tiny cuspidate tip	A	A	n.e.	n.e.	n.e.	Helmet to subspherical (Type A)	11.0	12.0
BS628d	120	n.e.	n.e.	18	55	58	½	Yes	Dispersed small papillae in different sizes, many worn out in lower leaves or proximal parts of upper leaves, 50-150µm long, hemispherical or teat-shaped.	n.e.	n.e.	n.e.	4.5	2	Subacute (dried tepals)	C-D	A	n.e.	n.e.	n.e.	Mixed shapes (Type C)	12.0	15.0
CO517a	35	Maroon	n.e.	9	24	21	¼	No	Smooth, margin a narrow hyaline lining	A	n.e.	Lilac (1)	4	2	Subacute	A	A	x2	x2.5	Partially exerted	n.e.	n/a	n/a
CO517b	42	Maroon	n.e.	6	31	40	¼	No	Smooth or subcrenulate with flattened, weathered papillae	B	n.e.	Lilac (1)	4	2	Subacute	A	A	x2	x2.5	Partially exerted	Helmet or subspherical (Type A)	8.0	8.0
CO517c	68	Maroon	n.e.	10	38	46	¼	No	Smooth, margin a narrow hyaline lining	A	n.e.	Lilac (1)	4	2	Subacute	A	A	x2	x2.5	Partially exerted	Helmet or subspherical (Type A)	7.0	7.5
CO524a	55	Maroon	n.e.	7	25	30	¼	No	Smooth, margin a narrow hyaline lining	A	n.e.	Lilac (1)	4.5	2	Subacute	A	A	x2	x2.5	Included	Helmet or subspherical (Type A)	9.5	10.0
CS625a	120	Membranous, pale green	160	30	43	50	½	Yes	Distinct compressed subspherical papillae throughout the entire margin, homogenous	D	125–150	White (0)	4.5	2.5	Obtuse	B	D	x3.3	x1.8	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	20.0	34.0
CS625b	90	Membranous, pale green	120	33	46	55	½ – ¾	Yes	Distinct compressed subspherical papillae throughout the entire margin, widely spaced, homogenous	D	150	White (0)	4	2.5	Obtuse	B	D	x3	x2	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	24.0	32.0
CS625c	100	Membranous, pale green	120	29	52	63	½	Yes	Distinct compressed subspherical papillae throughout the entire margin, homogenous	D	150–175	White (0)	4	2	Obtuse	B	D	x3.5	x1.6	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	20.0	32.0
CS625d	110	Membranous, pale green	180	27	45	47	½ – ¾	Yes	Distinct compressed subspherical papillae throughout the entire margin, homogenous	D	100-125	White (0)	4.5	2.5	Subacute (blunt)	B	D	x3.2	x2	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	25.0	40.0
CS625e	90	Membranous, pale green	100	28	45	55	¾ – ½	Yes	Distinct compressed subspherical papillae throughout the entire margin, widely spaced, homogenous	D	125–175	White (0)	4.5	2.5	Subacute (blunt)	B	D	x3.0	x1.9	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	27.0	35.0
CS625f	60	Membranous, pale green	140	22	35	38	¼	Yes	Distinct compressed subspherical papillae throughout the entire margin, homogenous	D	150	White (0)	4.5	2	Obtuse	B	D	n.e.	n.e.	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	19.0	26.0
CS625g	150	Membranous, pale green	160	38	70	60	¼	Yes	Distinct compressed subspherical papillae throughout the entire margin, homogenous	D	150	White (0)	5	3	Obtuse	B	D	n.e.	n.e.	Fully exerted (> 2mm)	Flattened, ovoid planoconvex, long acuminate. (Type B)	28.0	38.0